



THIS DRAWING IS A CONTROLLED DOCUMENT  
REV: 01  
1907394

USED ON



**Left Side**

Connector(s): MT-RJ SECURE (No Pins)  
Mode: MM  
Housing Color: Blue  
Geom. Spec: 115-1215



VIEW C-C  
NOT TO SCALE

**Fiber Path**

Fiber A - - B  
Fiber B - - A

**Notes:**

- 1 IL tested at 1300nm.
- 2 Product and Processing must meet requirements of Tyco Electronics Standard 230-702
- 3 Label 2 will not be present on any cable assembly less than 5 meters long.
- 4 Includes dust caps (not shown on print).

**Right Side**

Connector(s): LC-Duplex  
Mode: MM  
Housing Color: Beige  
Geom. Spec: N/A

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION. IT IS NOT TO BE DISCLOSED TO ANY OTHER PERSON OR ENTITY WITHOUT THE WRITTEN AUTHORIZATION OF TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA

LOC  
CE  
DIST  
16

A	Rev Per	EC#	None	1/14/2008	-	DF	
P	LTR	REVISION RECORD		DATE	DN	APVD	

DIMENSIONS: meters	TOLERANCES UNLESS OTHERWISE SPECIFIED:
	0 PLC ± .
	1 PLC ± .
	2 PLC ± .
	3 PLC ± .
	4 PLC ± .

Restricted To:

DM	Cable Assy Configurator	MATERIAL	HEAT TREAT
CHK	Dave Fennell		
APVD	Dave Fennell	Tyco Electronics, Inc. Harrisburg, PA 17105-3608	
NAME	FO C/A - 2 fiber, 50/125, OFNR (Riser) jacket, MT-RJ SECURE (No Pins) to LC-Duplex		
SCALE	SIZE	DRAWING NO	SHEET
NTS	A2	C- 1907394	1 of 3
			REV
			A

USED ON

THIS DRAWING IS A CONTROLLED DOCUMENT.

Part #	L (meters)	L (feet)	MT-RJ SECURE (No Pins), Blue		LC-Duplex, Beige	
			IL (dB)	RL (dB)	IL (dB)	RL (dB)
0-1907394-1	0.950 - 1.050	3.11 - 3.44	0.5	20	0.5	-
0-1907394-2	1.950 - 2.050	6.39 - 6.72	0.5	20	0.5	-
0-1907394-3	2.950 - 3.050	9.67 - 10.00	0.5	20	0.5	-
0-1907394-4	3.920 - 4.080	12.86 - 13.38	0.51	20	0.51	-
0-1907394-5	4.920 - 5.080	16.14 - 16.66	0.51	20	0.51	-
0-1907394-6	5.920 - 6.080	19.42 - 19.94	0.51	20	0.51	-
0-1907394-7	6.920 - 7.080	22.70 - 23.22	0.51	20	0.51	-
0-1907394-8	7.920 - 8.080	25.98 - 26.50	0.51	20	0.51	-
0-1907394-9	8.850 - 9.150	29.03 - 30.01	0.51	20	0.51	-
1-1907394-0	9.850 - 10.150	32.31 - 33.30	0.52	20	0.52	-
1-1907394-1	10.850 - 11.150	35.59 - 36.58	0.52	20	0.52	-
1-1907394-2	11.850 - 12.150	38.87 - 39.86	0.52	20	0.52	-
1-1907394-3	12.850 - 13.150	42.15 - 43.14	0.52	20	0.52	-
1-1907394-4	13.850 - 14.150	45.43 - 46.42	0.52	20	0.52	-
1-1907394-5	14.850 - 15.150	48.72 - 49.70	0.52	20	0.52	-
1-1907394-6	15.840 - 16.160	51.96 - 53.01	0.52	20	0.52	-
1-1907394-7	16.830 - 17.170	55.21 - 56.33	0.53	20	0.53	-
1-1907394-8	17.820 - 18.180	58.46 - 59.64	0.53	20	0.53	-
1-1907394-9	18.810 - 19.190	61.71 - 62.95	0.53	20	0.53	-
2-1907394-0	19.800 - 20.200	64.96 - 66.27	0.53	20	0.53	-
2-1907394-1	20.790 - 21.210	68.20 - 69.58	0.53	20	0.53	-
2-1907394-2	21.780 - 22.220	71.45 - 72.90	0.53	20	0.53	-
2-1907394-3	22.770 - 23.230	74.70 - 76.21	0.53	20	0.53	-
2-1907394-4	23.760 - 24.240	77.95 - 79.52	0.54	20	0.54	-
2-1907394-5	24.750 - 25.250	81.20 - 82.84	0.54	20	0.54	-
2-1907394-6	25.740 - 26.260	84.44 - 86.15	0.54	20	0.54	-
2-1907394-7	26.730 - 27.270	87.69 - 89.46	0.54	20	0.54	-
2-1907394-8	27.720 - 28.280	90.94 - 92.78	0.54	20	0.54	-
2-1907394-9	28.710 - 29.290	94.19 - 96.09	0.54	20	0.54	-
3-1907394-0	29.700 - 30.300	97.44 - 99.40	0.55	20	0.55	-
3-1907394-1	30.690 - 31.310	100.68 - 102.72	0.55	20	0.55	-
3-1907394-2	31.680 - 32.320	103.93 - 106.03	0.55	20	0.55	-
3-1907394-3	32.670 - 33.330	107.18 - 109.35	0.55	20	0.55	-
3-1907394-4	33.660 - 34.340	110.43 - 112.66	0.55	20	0.55	-
3-1907394-5	34.650 - 35.350	113.68 - 115.97	0.55	20	0.55	-
3-1907394-6	35.640 - 36.360	116.92 - 119.29	0.55	20	0.55	-
3-1907394-7	36.630 - 37.370	120.17 - 122.60	0.56	20	0.56	-
3-1907394-8	37.620 - 38.380	123.42 - 125.91	0.56	20	0.56	-
3-1907394-9	38.610 - 39.390	126.67 - 129.23	0.56	20	0.56	-
4-1907394-0	39.600 - 40.400	129.92 - 132.54	0.56	20	0.56	-
5-1907394-0	49.500 - 50.500	162.40 - 165.68	0.58	20	0.58	-


Qty	U of M	Description	Item No.
2	piece	Trace Label	14
2	piece	Eyelet/Shrink tube assembly - White	13
1	piece	MT-RJ TwinZip Bend Limiting Boot, Beige	12
AR	meter	2 fiber, 50/125, 1.8 mm, Twinzip, Orange, OFNR (Riser)	11
1	piece	MT-RJ FERRULE, THERMOPLAST,MM	10
2	piece	LC Connector Assy, MM	9
1	piece	LC Duplex clip, black	8
2	piece	LC, SC, FC Straight Boot, Beige	7
1	piece	MT-RJ Keyed Connector Housing - Blue	6
1	piece	CRIMP EYELET, MT-RJ	5
1	piece	MT-RJ, SPRING PUSH, UNIVERSAL	4
1	piece	PIN KEEPER, 3.8MM	3
1	piece	SPRING, MT-RJ, 3.8 DESIGN	2
1	piece	DUST COVER, MT-RJ	1

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS. IT IS TO BE USED ONLY BY THE PERSONNEL TO WHOM IT IS ISSUED. IT IS NOT TO BE DISCLOSED TO ANY OTHER PERSONS WITHOUT THE WRITTEN AUTHORIZATION OF TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA


LOC  
CE  
DIST  
16

A	Rev Per	EC#	None	1/14/2008	-	DF	APVD
P	LTR	REVISION RECORD		DATE	DIN	APVD	

RESTRICTED TO:



DIMENSIONS: meters  
 TOLERANCES UNLESS OTHERWISE SPECIFIED:  
 9 PLC ± .005  
 1 PLC ± .005  
 2 PLC ± .005  
 3 PLC ± .005  
 4 PLC ± .005

DIN	Cable Assy Configurator		MATERIAL	HEAT TREAT
CHK	Dave Fennell			
APVD	Dave Fennell			
NAME	FO C/A - 2 fiber, 50/125, OFNR (Riser) jacket, MT-RJ SECURE (No Pins) to LC-Duplex			
SCALE	SIZE	DRAWING NO	SHEET	REV
NTS	A2	C- 1907394	2 of 3	A

D  
C  
B  
A

THIS DRAWING IS A CONTROLLED DOCUMENT. BFC#D

**Label 1**

Per specification 107-1645-1



- Trace # - Bar Code
- Trace # - Human Readable
- Part Number
- Country of Origin

This label is used on all lengths on this drawing.

**Label 2**

Per specification 107-1645-1



- Trace # - Bar Code
- Trace # - Human Readable
- Part Number
- Country of Origin

This label is used on all lengths on this drawing.

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION. IT IS NOT TO BE DISCLOSED TO ANY OTHERS WITHOUT THE WRITTEN AUTHORIZATION OF TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA.

LOC  
 CE  
 DIST  
 16

A	Rev Per	EC#	None	1/14/2008	-	DF	
P	LTR	REVISION RECORD		DATE	DIN	APVD	

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
meters	
⊕	0 PLC ± .
⊖	1 PLC ± .
	2 PLC ± .
	3 PLC ± .
	4 PLC ± .

Restricted To:

DIN	Cable Assy Configurator	MATERIAL	HEAT TREAT
OK	Dave Fennell		
APVD	Dave Fennell	<b>AMP</b> Tyco Electronics, Inc. Harrisburg, PA 17105-3608	
NAME	FO C/A - 2 fiber, 50/125, OFNR (Riser) jacket, MT-RJ SECURE (No Pins) to LC-Duplex		
SCALE	SIZE	DRAWING NO	SHEET
NTS	A2	C- 1907394	3 of 3
			REV
			A

D  
 C  
 B  
 A